



## MATERIAL SAFETY DATA SHEET

Page 1 of Total 5  
Date of Issue: March 2016  
MSDS No. FMC/AQUAMAX/2

### SECTION 1 IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name:** BIFLEX<sup>®</sup> AQUAMAX 100 SC INSECTICIDE

**Other Names:** Bifenthrin.  
**Use:** Termiticide and insecticide in buildings and other structures.  
**Company:** FMC Australasia Pty Ltd.  
**Address:** PO Box 580, North Ryde BC, NSW 1670  
**Telephone:** 02 9887 0900 / 1800 066 355 **Fax Number:** 02 9887 0911  
**Emergency Telephone Number:** 1800 033 111 (All hours - Australia wide).

### SECTION 2 HAZARDS IDENTIFICATION

**Classified as hazardous according to criteria of NOHSC Australia.  
Not classified as a Dangerous Good according to the ADG Code.**

**Risk phrases:** R20/22 Harmful by inhalation and if swallowed

**Safety Phrases:** S2 Keep out of reach of children.  
S13 Keep away from food, drink and animal feeding stuffs.  
S23 Do not breathe vapour or spray.  
S36/37 Wear suitable protective clothing and gloves.  
S39 Wear eye/face protection.

### SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

**Ingredients:**

<i>CHEMICAL</i>	<i>CAS NUMBER</i>	<i>PROPORTION</i>
Bifenthrin	82657-04-3	100 g/L
Other ingredients determined not to be hazardous	mixture	Balance

### SECTION 4 FIRST AID MEASURES

**FIRST AID**

**Swallowed:** If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia (13 11 26). If any discomfort persists seek medical advice.

**Eye:** If in eyes, hold eyes open and flush with water for at least 15 minutes. If irritation occurs and persists, obtain medical attention.

**Skin:** If on skin wash with plenty of soap and water. Remove contaminated clothing. If irritation occurs and persists see a doctor.

**Inhaled:** Remove patient to fresh air. If breathing discomfort occurs, obtain medical attention.

**Advice to Doctors:** Bifenthrin the active ingredient in this product is a pyrethroid insecticide. Treatment is otherwise symptomatic and supportive.

**SECTION 5 FIRE FIGHTING MEASURES**

**Specific Hazard:** Product is a not flammable.

**Extinguishing media:** Foam, CO<sub>2</sub> or dry chemical. Soft stream water fog if no alternatives. Contain all runoff.

**Hazards from combustion products:** On burning will emit toxic fumes of carbon monoxide, carbon dioxide, hydrogen chloride, chlorine, fluorine and hydrogen fluoride etc.

**Precautions for fire-fighters and special protective equipment:** Isolate fire area. Evacuate downwind. Wear full protective clothing and self-contained breathing apparatus. Do not breathe or contact smoke, gases or vapours generated.

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

**Emergency procedures:** Isolate and post spill area. Keep out unprotected persons and animals. Wear prescribed protective clothing and equipment.

**Spills:** In the case of spillage, contain and absorb spilled material with absorbent material such as sand, clay or cat litter and dispose of waste according to the Australian Standard 2507 - Storage and Handling of Pesticides. Keep material out of streams and sewers. Vacuum, shovel or pump waste into an approved drum. Label for contents. Dispose of drummed wastes, including decontamination solution, in accordance with the requirements of Local or State Waste Management Authorities.

**Material and methods for containment and cleanup procedures:** To clean spill area, tools and equipment, wash with a solution of soap, water and acetic acid/vinegar. Follow this with a neutralisation step of washing the area with a bleach or caustic soda ash solution. Finally, wash with a strong soap and water solution. Absorb, as above, any excess liquid and add both solutions to the drums of waste already collected.

Do NOT allow spilled product or wash solution to enter sewers, drains, dams, creeks or any other waterways.

**SECTION 7 HANDLING AND STORAGE**

**Precautions for Safe Handling:** Ensure containers are kept closed until using product. Avoid skin and eye contact and breathing vapour. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow length nitrile gloves and face shield or goggles. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow length nitrile gloves.

**Conditions for Safe Storage:** DO NOT store near (or allow to contact) fertilizers, fungicides or pesticides. Store in the closed original container, in a cool well ventilated area, out of direct sunlight. Store in a locked room or place away from children, animals, food, feed stuffs, seed and fertilizers.

**SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

**National Exposure Standards:**

No exposure standard for bifenthrin has been established by NOHSC Australia. However, the following exposure standard has been established:

Atmospheric Contaminant	Exposure Standard (TWA) <sup>a</sup>	Proportion in AquaMax
Propane-1,2-diol total: (vapour & particulates)	150 ppm (474 mg/m <sup>3</sup> )	< 5%

TWA = Time-weight Average

It is highly unlikely that atmospheric concentrations of Propane-1,2-diol will reach the above concentrations when used as directed.

**Biological Limit Values:**

No biological limit allocated.

**Engineering controls:**

Use in well ventilated area only. Use local exhaust at all process locations where spray may be emitted. Ventilate all transport vehicles prior to unloading. Keep containers closed when not in use.

**Personal Protective equipment (PPE):**

Work Clothing: Wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC or nitrile gloves and face shield or goggles.

Eye Protection: When using product, wear chemical protective goggles or face shield.

Respiratory Protection: If inhalation risk exists, wear a properly fitted half-face or full-face air-purifying respirator which is approved for pesticides (Australian Standards).

Gloves: Wear chemical protective gloves made of materials such as nitrile, Viton® brand or PVC when handling this product. Inspect regularly for leaks. Wash the outside of gloves with soap and water prior to removal.

Personal Hygiene: Clean water should be available for washing in case of eye or skin contamination. Wash skin before eating, drinking or smoking. Shower at the end of the workday.

**SECTION 9 | PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	White, opaque liquid.
<b>Odour:</b>	Very mild, soap like odour.
<b>Boiling point:</b>	Not available.
<b>Freezing point:</b>	Not available.
<b>Specific Gravity:</b>	1.02 g/mL.
<b>pH:</b>	Not available.
<b>Solubility in Water:</b>	Product suspends in water.
<b>Flammability:</b>	Not flammable.
<b>Corrosive hazard:</b>	Non corrosive; compatible with stainless steel containers & polyethylene used in spray tanks and parts.
<b>Flashpoint (°C) :</b>	Not applicable, not flammable..
<b>Flammability Limits (%):</b>	Not flammable.
<b>Poisons Schedule:</b>	Product is a schedule 6 poison.

**SECTION 10 | STABILITY AND REACTIVITY**

**Chemical Stability:** Product is considered stable in ambient conditions for a period of at least 2 years after manufacture.

**Conditions to avoid:** No particular conditions to avoid.

**Incompatible materials:** No particular materials to avoid.

**Hazardous decomposition products:** When the product is heated to high temperatures, the active constituent will decompose and emit toxic fumes.

**Hazardous reactions:** No particular reactions to avoid.

**SECTION 11 | TOXICOLOGICAL INFORMATION**

**Potential Health Effects:**

Studies with laboratory animals have shown this product to be harmful if swallowed. Ingestion of large doses of bifenthrin by laboratory animals produced signs of toxicity which included clonic convulsions, tremors and bloody nasal discharge. Irritating to eyes and respiratory system.

**Acute**

**Swallowed:** This product is harmful if swallowed; the acute oral LD<sub>50</sub> (rat) = 505 mg/kg (calculated).

**Eye:** Not irritating.

**Skin:** This product has a low dermal toxicity. The dermal LD<sub>50</sub> (rabbit) > 2000 mg/kg. Skin sensitising may occur in sensitive individuals.

**Inhaled:** This product is harmful if inhaled. Acute inhalation LC<sub>50</sub> = 8.7 mg/L/4 hour (calculated).

**Chronic:** No data available on this formulation. In studies with laboratory animals, Bifenthrin Technical did not cause teratogenicity or reproductive toxicity. Tremors were associated with repeated exposure of dogs, rats, rabbits and mice to Bifenthrin. The overall results from a battery of genotoxicity studies indicate that Bifenthrin is not considered to be genotoxic. Ames test results were negative.

**SECTION 12 ECOLOGICAL INFORMATION**

**Environmental Toxicology:** The active ingredient, Bifenthrin, is highly toxic to fish and aquatic arthropods with LC<sub>50</sub> values ranging from 0.0038 µg/L to 17.8 µg/L. In general, the aquatic arthropods are the most sensitive species. Care should be taken to avoid contamination of the aquatic environment. Bifenthrin had no effect on molluscs at its limit of water solubility. Bifenthrin is only slightly toxic to both waterfowl and upland game birds with LC<sub>50</sub> values range from 1800 mg/kg to > 2,150 mg/kg. Do not contaminate sewers, drains, dams, creeks or any other waterways with product or the used container.

**Environmental Properties:** The active ingredient, Bifenthrin, degrades at a moderate rate in agricultural soils (t<sub>1/2</sub> = 50 to 205 days), and more rapidly on the surface of bare soils (t<sub>1/2</sub> = 7 to 62 days). Bifenthrin is tightly bound in most soils and has extremely low water solubility.

**SECTION 13 DISPOSAL CONSIDERATIONS**

**Disposal:** Label all recovered material for contents. Dispose of drummed wastes, including decontamination solution, in accordance with the requirements of Local or State Waste Management Authorities.

*Dangerous to Fish:* Do NOT allow spilled product or wash solution to enter sewers, drains, dams, creeks or any other waterways.

**Disposal of empty, non-returnable containers:** Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If not available bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt.

**SECTION 14 TRANSPORT INFORMATION**

**Road & Rail Transport:** Biflex AquaMax 100 SC is not classified as a Dangerous Goods under the Australian Code for the Transport of Dangerous Goods by Road and Rail.

**Marine and Air Transport:** Product is a Marine Pollutant according to International Maritime Dangerous Goods (IMDG) Code and the International Air Transport Association (IATA). If transporting by sea or air the following Dangerous Goods Classification applies:-

UN 3082, Class 9 (Miscellaneous Dangerous Goods), Packing Group III, Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains 10% Bifenthrin).

## **SECTION 15 REGULATORY INFORMATION**

Classified as a hazardous substance according to criteria of NOHSC Australia. (Xi, Xn). Under the Standard for Uniform Scheduling of Drugs and Poisons (SUSDP No. 21), this product is a schedule 6 poison.

This product has registration under the Agricultural and Veterinary Chemicals Code Act 1994. Product No. 60678.

Product is not classified as a Dangerous Good according to the ADG Code (6<sup>th</sup> Ed). Product is classified as a Dangerous Good according to the International Maritime Dangerous Goods (IMDG) Code and the International Air Transport Association (IATA).

## **SECTION 16 OTHER INFORMATION**

Issue Date: March 2016

Reason for Update: Page number corrections.  
Update of abbreviations and acronyms.

Key to abbreviations and acronyms used in this MSDS:

ADG Code Australian Dangerous Goods Code (for the transport of dangerous goods by Road and Rail).  
Genotoxic Capable of causing damage to genetic material, such as DNA.  
NOHSC National Occupational Health and Safety Commission.  
PPE Personal protective equipment.  
Teratogen An agent capable of causing abnormalities in a developing foetus.  
TWA The Time Weighted Average airborne concentration over an eight-hour working day, for a five day working week over an entire working life.

References

1. "Search Hazardous Substances". Dept. of Employment and Workplace Relations. Office of the Australian Safety and Compensation Council website. (2006).
2. "Approved Criteria for Classifying Hazardous Substances" 3rd Ed. NOHSC Australia. [NOHSC:1008 (2004)]. October 2004.

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.